PRODUCT INFORMATION

Description 12V DOT/ECE LED High & Low Beam

Headlight with Black Inner Bezel

 Height
 177.20 mm / 6.98 in

 Width
 177.20 mm / 6.98 in

 Depth
 93.68 mm / 3.69 in

Shape Round

Outer Lens Material Polycarbonate

Outer Lens Color Clear

Housing Material Die-Cast Aluminum

Bezel Color Black

Retrofits Bucket, 7" Round Headlights, PAR56

Minimum Operating -40 °C / -40 °F

Temperature

Maximum Operating 60 °C / 140 °F


Temperature


Connector or Wiring

Mating ConnectorH4 AMP#172615-2Product Weight2.29 lbs / 1.04 kgsShipping Weight3.13 lbs / 1.42 kgs



PRODUCT DIMENSIONS





ELECTRICAL SPECIFICATIONS

Input Voltage 12V DC
Operating Voltage 9-16V DC
BLACK Wire GROUND
WHITE Wire HIGH BEAM
YELLOW Wire LOW BEAM

RED Wire FRONT POSITION

 Current Draw
 1.9A @ 13.5V DC (LOW BEAM)

 2.9A @ 13.5V DC (HIGH BEAM)

PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output 2,250 (High Beam); 2025 (Low

Beam)

Effective Lumen 1,150 (High Beam); 850 (Low Beam)

Output

Candela Output 48,000 (High Beam); 11,500 (Low

Beam) 5000 K

Nominal LED Color

Temperature


Beam Pattern(s) Forward Lighting - High Beam

(DOT/ECE)

Forward Lighting - Low Beam

(DOT/ECE)

Signalization - Front Position



APPLICATIONS





PRODUCT WARNINGS

For California residents:

▲ WARNING: Cancer and reproductive harm - www.P65Warnings.ca.gov.

AVERTISSEMENT: Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

ACCESSORIES




<u>Part Number</u> <u>3156351</u>

Mounting Ring Kit for 7" Round (PAR56) Headlights



Part Number 8200411

Wire Harness H4 for 7" Round (PAR56) Headlights



RELATED PRODUCTS



Part Number 0553431 12V DOT/ECE LED High & Low Beam Headlight with Chrome Inner Bezel